







DRILL RODS 钻杆

DRIFTING AND TUNNELING RODS – MALE / MALE				Hex22
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R22	610	2	221110610
	R22	915	3	221110915
	R22	1220	4	221111220
	R22	1525	5	221111525
	R22	1830	6	221111830

DRIFTING AND TUNNELING RODS – MALE / MALE				Hex25
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R25	610	2	222220610
	R25	915	3	222220915
	R25	1000	3' 3"	222221000
	R25	1220	4	222221220
	R25	1525	5	222221525
	R25	1830	6	222221830
	R25	2100	6' 10-1/2"	222222100
	R25	2435	8	222222435
	R25	3050	10	222223050
	R25	3660	12	222223660
	R25	4305	14' 1-1/2"	222224305
	R32-R25	610	2	234220610
	R32-R25	1830	6	234221830
	R32-R25	2130	7	234222130
	R32-R25	2475	8' 1-1/2"	234222475
	R32-R25	2600	8' 6"	234222600
	R32-R25	2795	9' 2"	234222795
	R32-R25	2895	9' 6"	234222895
	R32-R25	3090	10' 1-1/2"	234223090
	R32-R25	3700	12' 1-1/2"	234223700
	R32-R25	4005	13' 1-1/2"	234224005
	R32-R25	4305	14' 1-1/2"	234224305

DRIFTING AND TUNNELING RODS – FEMALE / MALE				Hex25
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R25F-R25M	610	2	242220610
	R25F-R25M	1220	4	242221220
	R25F-R25M	1525	5	242221525
	R25F-R25M	1830	6	242221830
	R25F-R25M	2435	8	242222435
	R25F-R25M	3050	10	242223050
	R25F-R25M	3660	12	242223660



DRILL RODS 钻杆

DRIFTING AND TUNNELING RODS – MALE / MALE Hex28

	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R28	610	2	223330610
	R28	915	3	223330915
	R28	1220	4	223331220
	R28	1525	5	223331525
	R28	1830	6	223331830
	R28	2435	8	223332435
	R28	3050	10	223333050
	R28	3660	12	223333660
	R28	3700	12' 1-1/2"	223333700
	R28	4005	13' 1-1/2"	223334005
	R32-R25	2475	8' 1-1/2"	234232475
	R32-R25	2600	8' 6"	234232600
	R32-R25	2795	9' 2"	234232795
	R32-R25	2850	9' 4"	234232850
	R32-R25	3090	10' 1-1/2"	234233090
	R32-R25	3700	12' 1-1/2"	234233700
	R32-R25	4005	13' 1-1/2"	234234005
	R38-R25	2000	6' 7"	235232000
	R38-R25	3090	10' 1-1/2"	235233090
	R38-R25	3700	12' 1-1/2"	235233700
	R38-R25	4050	13' 3-1/2"	235234050
	R38-R25	4305	14' 1-1/2"	235234350
	R32-R28	1220	4	234331220
	R32-R28	1525	5	234331525
	R32-R28	2475	8' 1-1/2"	234332475
	R32-R28	2590	8' 6"	234332590
	R32-R28	2795	9' 2"	234332795
	R32-R28	3090	10' 1-1/2"	234333090
	R32-R28	3400	11' 2"	234333400
	R32-R28	3700	12' 1-1/2"	234333700
	R32-R28	4005	13' 1-1/2"	234334005
	R32-R28	4305	14' 1-1/2"	234334305
	R38-R28	2475	8' 1-1/2"	235332475
	R38-R28	3090	10' 1-1/2"	235333090
	R38-R28	3700	12' 1-1/2"	235333700
	R38-R28	4305	14' 1-1/2"	235334305
	T38-R28	2475	8' 1-1/2"	237232475
	T38-R28	3090	10' 1-1/2"	237233090
	T38-R28	3300	10' 10"	237233300
	T38-R28	3700	12' 1-1/2"	237233700
	T38-R28	4305	14' 1-1/2"	237234305

DRIFTING AND TUNNELING RODS – FEMALE /MALE Hex28

	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R28F-R28M	610	2	243330610
	R28F-R28M	915	3	243330915
	R28F-R28M	1200	3' 11"	243331200
	R28F-R28M	1525	5	243331525
	R28F-R28M	2435	8	243332435
	R28F-R28M	3050	10	243333050
	R28F-R28M	3660	12	243333660










DRILL RODS 钻杆

DRIFTING AND TUNNELING RODS – MALE / MALE				Hex32
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R32	1500	4' 11"	224441500
	R32	2350	7' 8-1/2"	224442350
	R32	2475	8' 1-1/2"	224442475
	R32	2700	8' 10"	224442700
	R32	3090	10' 1-1/2"	224443090
	R32	3400	11' 2"	224443400
	R32	3700	12' 1-1/2"	224443700
	R32	4005	13' 1-1/2"	224444005
	R32	4305	14' 1-1/2"	224444305
	R32	4915	16' 1-1/2"	224444915
	R38-R28	3090	10' 1-1/2"	235343090
	R38-R28	3700	12' 1-1/2"	235343700
	R38-R28	4005	13' 1-1/2"	235344005
	R38-R28	4305	14' 1-1/2"	235344305
	R38-R28	4915	16' 1-1/2"	235344915
	R38-R28	5525	18' 1-1/2"	235345525
	T38-R28	2475	8' 1-1/2"	237342475
	T38-R28	3090	10' 1-1/2"	237343090
	T38-R28	3400	11' 2"	237343400
	T38-R28	3700	12' 1-1/2"	237343700
	T38-R28	4305	14' 1-1/2"	237344305
	T38-R28	4915	16' 1-1/2"	237344915
	T38-R28	5150	16' 10-3/4"	237345150
	T38-R28	5525	18' 1-1/2"	237345525
	R38-R32	1570	5' 2"	235441570
	R38-R32	1800	5' 11"	235441800
	R38-R32	2200	7' 2-1/2"	235442200
	R38-R32	2475	8' 1-1/2"	235442475
	R38-R32	3090	10' 1-1/2"	235443090
	R38-R32	3700	12' 1-1/2"	235443700
	R38-R32	4005	13' 1-1/2"	235444005
	R38-R32	4305	14' 1-1/2"	235444305
	R38-R32	4610	15' 1-1/2"	235444610
	R38-R32	4915	16' 1-1/2"	235444915
	R38-R32	5525	18' 1-1/2"	235445525
		T38-R32	2475	8' 1-1/2"
T38-R32		2600	8' 6"	237442600
T38-R32		3090	10' 1-1/2"	237443090
T38-R32		3400	11' 2"	237443400
T38-R32		3700	12' 1-1/2"	237443700
T38-R32		4005	13' 1-1/2"	237444005
T38-R32		4305	14' 1-1/2"	237444305
T38-R32		4915	16' 1-1/2"	237444915
T38-R32		5525	18' 1-1/2"	237445525



DRILL RODS 钻杆


DRIFTING AND TUNNELING RODS – MALE / MALE				Hex35
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R38-R32	3090	10' 1-1/2"	235453090
	R38-R32	3700	12' 1-1/2"	235453700
	R38-R32	4005	13' 1-1/2"	235454005
	R38-R32	4305	14' 1-1/2"	235454305
	R38-R32	4915	16' 1-1/2"	235454915
	R38-R32	5525	18' 1-1/2"	235455525
	T38-R32	2475	8' 1-1/2"	237352475
	T38-R32	3090	10' 1-1/2"	237353090
	T38-R32	3700	12' 1-1/2"	237353700
	T38-R32	4305	14' 1-1/2"	237354305
	T38-R32	4460	14' 7-1/2"	237354460
	T38-R32	4915	16' 1-1/2"	237354915
	T38-R32	5525	18' 1-1/2"	237355525
	T38-R32	6140	20' 1-1/2"	237356140
	R38-R35	3700	12' 1-1/2"	235053700
	R38-R35	4305	14' 1-1/2"	235054305
	R38-R35	4915	16' 1-1/2"	235054915
	R38-R35	5530	18' 1-1/2"	235055530
	T38-R35	3050	10	237052050
	T38-R35	3700	12' 1-1/2"	237053700
	T38-R35	4305	14' 1-1/2"	237054305
	T38-R35	4915	16' 1-1/2"	237054915
	T38-R35	5525	18' 1-1/2"	237055525
	T38-R35	6140	20' 1-1/2"	237056140
	T38-R35	6400	21	237056400

DRIFTING AND TUNNELING RODS – FEMALE / MALE				Hex35
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	T38F-R32M	3090	10' 1-1/2"	247453090
	T38F-R32M	3700	12' 1-1/2"	247453700
	T38F-R32M	4305	14' 1-1/2"	247454305
	T38F-R32M	4915	16' 1-1/2"	247454915
	T38F-R32M	5525	18' 1-1/2"	247455525
	T38F-R32M	6140	20' 1-1/2"	247456140
	T38F-R35M	3700	12' 1-1/2"	247053700
	T38F-R35M	4310	14' 1-1/2"	247054310
	T38F-R35M	4915	16' 1-1/2"	247054915
	T38F-R35M	5525	18' 1-1/2"	247055525
	R38F-R32M	3700	12' 1-1/2"	245453700
	R38F-R32M	4915	16' 1-1/2"	245454915




DRILL RODS 钻杆

EXTENSION RODS (MM RODS) – MALE / MALE RD32

	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R32	610	2	224460610
	R32	915	3	224460915
	R32	1000	3' 3"	224461000
	R32	1220	4	224461220
	R32	1525	5	224461525
	R32	1830	6	224461830
	R32	2000	6' 7"	224462000
	R32	2435	8	224462435
	R32	3000	9' 10"	224463000
	R32	3050	10	224463050
	R32	3660	12	224463660
	R32	4265	14	224464265
	R32	4915	16' 1-1/2"	224464915
	R32	5490	18	224465490

SPEED RODS (MF RODS)– FEMALE /MALE RD32

	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R32F-R32M	915	3	244460915
	R32F-R32M	1000	3' 3"	244461000
	R32F-R32M	1220	4	244461220
	R32F-R32M	1525	5	244461525
	R32F-R32M	1830	6	244461830
	R32F-R32M	2435	8	244462435
	R32F-R32M	2700	8' 10"	244462700
	R32F-R32M	2850	9' 4"	244462850
	R32F-R32M	3000	9' 10"	244463000
	R32F-R32M	3050	10	244463050
	R32F-R32M	3660	12	244463660
	R32F-R32M	4000	13' 1-1/2"	244464000
	R32F-R32M	4270	14	244464270
	R32F-R32M	5370	17' 7-1/2"	244465370
	R32F-R32M	6300	20' 8"	244466300




DRILL RODS 钻杆


EXTENSION RODS (MM RODS) – MALE / MALE				RD39
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R38	915	3	225570915
	R38	1000	3' 3"	225571000
	R38	1220	4	225571220
	R38	1500	4' 11"	225571500
	R38	1830	6	225571830
	R38	2000	6' 7"	225572000
	R38	2435	8	225572435
	R38	3050	10	225573050
	R38	3660	12	225573660
	R38	4265	14	225574265
	T38	915	3	227770915
	T38	3050	10	227773050
	T38	3660	12	227773660
	T38	4265	14	227774265

SPEED RODS (MF RODS)– FEMALE /MALE				RD39
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	T35F-T35M	1220	4	246671220
	T35F-T35M	1830	6	246671830
	T35F-T35M	2435	8	246672435
	T35F-T35M	3050	10	246673050
	T35F-T35M	3660	12	246673660
	T35F-T35M	4270	14	246674270
	R38F-R38M	1220	4	245571220
	R38F-R38M	1525	5	245571525
	R38F-R38M	1830	6	245571830
	R38F-R38M	2000	6' 7"	245572000
	R38F-R38M	3050	10	245573050
	R38F-R38M	3660	12	245573660
	R38F-R38M	4265	14	245574265
	T38F-T38M	915	3	247770915
	T38F-T38M	1000	3' 3"	247771000
	T38F-T38M	1220	4	247771220
	T38F-T38M	1525	5	247771525
	T38F-T38M	1830	6	247771830
	T38F-T38M	2000	6' 7"	247772000
	T38F-T38M	2435	8	247772435
	T38F-T38M	3000	9' 10"	247773000
	T38F-T38M	3050	10	247773050
	T38F-T38M	3660	12	247773660
	T38F-T38M	4270	14	247774270



DRILL RODS 钻杆

EXTENSION RODS (MM RODS) – MALE / MALE				RD46
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	T45	1000	3' 3"	228881000
	T45	1220	4	228881220
	T45	1500	4' 11"	228881500
	T45	1525	5	228881525
	T45	1830	6	228881830
	T45	2000	6' 7"	228882000
	T45	2435	8	228882435
	T45	3000	9' 10"	228883000
	T45	3050	10	228883050
	T45	3660	12	228883660
	T45	4265	14	228884265
	T45	4875	16	228884875
	T45	5490	18	228885490
T45	6095	20	228886095	

SPEED RODS (MF RODS)– FEMALE /MALE				RD46
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	T45F-T45M	1000	3' 3"	248881000
	T45F-T45M	1220	4	248881220
	T45F-T45M	1500	4' 11"	248881500
	T45F-T45M	1525	5	248881525
	T45F-T45M	1830	6	248881830
	T45F-T45M	2000	6' 7"	248882000
	T45F-T45M	2435	8	248882435
	T45F-T45M	3000	9' 10"	248883000
	T45F-T45M	3050	10	248883050
	T45F-T45M	3660	12	248883660
	T45F-T45M	4270	14	248884270
	T45F-T45M	4880	16	248884880
	T45F-T45M	5490	18	248885490
T45F-T45M	6100	20	248886100	




DRILL RODS 钻杆


EXTENSION RODS (MM RODS) – MALE / MALE				RDS2
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	T51	1000	3' 3"	229991000
	T51	1220	4	229991220
	T51	1500	4' 11"	229991500
	T51	1830	6	229991830
	T51	2000	6' 7"	229992000
	T51	3000	9' 10"	229993000
	T51	3050	10	229993050
	T51	3660	12	229993660
	T51	4265	14	229994265
	T51	4875	16	229994875
	T51	5490	18	229995490
T51	6095	20	229996095	


SPEED RODS (MF RODS)– FEMALE /MALE				RDS2
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	T51F-T51M	1000	3' 3"	249991000
	T51F-T51M	1220	4	249991220
	T51F-T51M	1500	4' 11"	249991500
	T51F-T51M	1525	5	249991525
	T51F-T51M	1830	6	249991830
	T51F-T51M	2000	6' 7"	249992000
	T51F-T51M	2435	8	249992435
	T51F-T51M	3000	9' 10"	249993000
	T51F-T51M	3050	10	249993050
	T51F-T51M	3660	12	249993660
	T51F-T51M	4270	14	249994270
	T51F-T51M	4880	16	249994880
	T51F-T51M	5490	18	249995490
T51F-T51M	6100	20	249996100	



SHANK RODS 尾钎杆


R22 THREAD (22mm) X HEX (22mm) SHANK (108mm)				HEX22
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R22	255	10"	21A110255
	R22	1000	3' 3"	21A111000
R22	1800	5' 11"	21A111800	


R25 THREAD (25mm) X HEX (22mm) SHANK (108mm)				HEX22
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R25	255	10"	21A210255
	R25	610	2	21A210610
	R25	800	2' 7"	21A210800
	R25	915	3	21A210915
	R25	1000	3' 3"	21A211000
	R25	1220	4	21A211220
	R25	1830	6	21A211830
	R25	2400	7' 10"	21A212400
	R25	3050	10	21A213050
	R25	3200	10' 6"	21A213200
	R25	3660	12	21A213660
R25	4265	14	21A214265	

R32 THREAD (32mm) X HEX (22mm) SHANK (108mm)				HEX22
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R32	255	10"	21A410255
	R32	610	2	21A410610
	R32	1220	4	21A411220
R32	1830	6	21A411830	



SHANK RODS 尾钎杆

R25 THREAD (25mm) X HEX (25mm) SHANK (108mm)				HEX25
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R25	255	10"	21A220255
	R25	610	2	21A2200610
	R25	915	3	21A2200915
	R25	1220	4	21A2201220
	R25	1525	5	21A2201525
	R25	1830	6	21A2201830
	R25	2440	8	21A2202440
	R25	3050	10	21A2203050
R25	3660	12	21A2203660	

R32 THREAD (32mm) X HEX (25mm) SHANK (108mm)				HEX25
	THREAD	LENGTH (L)		PART NUMBER
		mm	FT	
	R32	255	10"	21A420255
	R32	610	2	21A420610
	R32	915	3	21A420915
	R32	1220	4	21A421220
	R32	1525	5	21A421525
	R32	1830	6	21A421830
	R32	2440	8	21A422440
	R32	3050	10	21A423050
R32	3660	12	21A423660	