



SHANK ADAPTER 钎尾

EPIROC

EPIROC – 88C 43, 44, 45, 100

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R25	380	14.96	32	1.25	4BBC43-323-0380
R32	380	14.96	32	1.25	4BBC43-324-0380	

EPIROC – 88C 51, 52, 54, 120

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	380	14.96	38	1.50	4BBC51-384-0380
	R38	390	15.35	38	1.50	4BBC51-385-0380
T38	390	15.35	38	1.50	4BBC51-387-0380	

EPIROC – 88E 56U2, 57, 5701

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	537	21.14	44	1.73	4BBE57-447-0537
T45	550	21.65	44	1.73	4BBE57-448-0550	

EPIROC – COP 1028

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R28	400	15.75	45	1.75	4COP1028-453-0400
R32	400	15.75	45	1.75	4COP1028-454-0400	

EPIROC – COP 1036, 1038, 1238 (MALE)


	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	575	22.64	38	1.50	4COP1036-384-0575
	T38	575	22.64	38	1.50	4COP1036-387-0575
	R32	485	19.09	38	1.50	4COP1036-384-0485
	R38	485	19.09	38	1.50	4COP1036-385-0485
	T38	485	19.09	38	1.50	4COP1036-387-0485
	R32	500	19.69	38	1.50	4COP1036-384-0500
	R38	500	19.69	38	1.50	4COP1036-385-0500
	T38	500	19.69	38	1.50	4COP1036-387-0500
	T45	500	19.69	45	1.75	4COP1036-458-0500
	R32	575	22.64	45	1.75	4COP1036-454-0575
R38	575	22.64	45	1.75	4COP1036-455-0575	
T38	575	22.64	45	1.75	4COP1036-457-0575	
T45	575	22.64	45	1.75	4COP1036-458-0575	





SHANK ADAPTER 钎尾


EPIROC


EPIROC


EPIROC – COP 1036, 1038, 1238 (FEMALE)						
	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32F	710	27.95	52	2.05	4COP1036-52C-0710
	R38F	710	27.95	52	2.05	4COP1036-52D-0710


EPIROC – COP 1132 (MALE)						
	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	500	19.69	35	1.38	4COP1132-354-0500
	T35	500	19.69	35	1.38	4COP1132-356-0500
	R28	410	16.14	35	1.38	4COP1132-353-0410
	R32	410	16.14	35	1.38	4COP1132-354-0410
	T35	410	16.14	35	1.38	4COP1132-356-0410

EPIROC – COP 1132 (FEMALE)						
	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32F	280	11.02	45	1.75	4COP1132-45C-0280

EPIROC – COP 1140, 1435						
	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	410	16.14	35	1.38	4COP1140-354-0410

EPIROC – COP 1240, 1640									
	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER			
		mm	In.	mm	In.				
			R32	565	22.24		52	2.05	4COP1240-524-0565
			T35	565	22.24		52	2.05	4COP1240-526-0565
	T38	565	22.24	52	2.05	4COP1240-527-0565			

EPIROC – COP 1240, 1640, 1840, 1850, 2540						
	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
			T45	565	22.24	
	T51	565	22.24	52	2.05	4COP1240-529-0565


EPIROC – COP 1240 EX, 1640 EX						
	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
			R32	770	30.31	
	T38	770	30.31	60	2.36	41240E-607-0565




SHANK ADAPTER 钎尾

EPIROC


EPIROC – COP 1240EX, 1640EX, 1840EX, 1850EX, 2150EX, 2540EX, 2550EX

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	770	30.31	60	2.36	41840E-608-0770
	T51	770	30.31	60	2.36	41840E-609-0770


EPIROC – COP 1432, 1440, 1532, 1550, 1638, 1838, 2238

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	435	17.13	38	1.50	4COP1440-384-0435
	R38	435	17.13	38	1.50	4COP1440-385-0435
	T38	435	17.13	38	1.50	4COP1440-387-0435
	R32	525	20.67	38	1.50	4COP1440-384-0525
	R38	525	20.67	38	1.50	4COP1440-385-0525
	T35	525	20.67	38	1.50	4COP1440-386-0525
	T38	525	20.67	38	1.50	4COP1440-387-0525


EPIROC – COP 1432, 1532 (FEMALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	340	13.39	55	2.17	4COP1432-554-0340
	R38	340	13.39	55	2.17	4COP1432-555-0340

EPIROC – COP 1440, 1550, 1838 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	525	20.67	52	2.05	4COP1440-524-0525
	T35	525	20.67	52	2.05	4COP1440-526-0525
	T38	525	20.67	52	2.05	4COP1440-527-0525
	T45	525	20.67	52	2.05	4COP1440-528-0525
	T51	525	20.67	52	2.05	4COP1440-529-0525

EPIROC – COP 1440, 1550, 1838 (FEMALE)


	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32F	640	25.20	52	2.05	4COP1440-52C-0640
	R32F	640	25.20	52	2.05	4COP1550-52C-0640
	R38F	650	25.59	52	2.05	4COP1550-52D-0650




SHANK ADAPTER 钎尾

EPIROC


EPIROC – COP 1838 MUX/HUX

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R35	730	28.74	52	2.05	41838M-520-0730
	T38	730	28.74	52	2.05	41838M-527-0730
	T45	730	28.74	52	2.05	41838M-528-0730
	T51	730	28.74	52	2.05	41838M-529-0730


EPIROC – COP 2150 EX, 2550 EX

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	770	30.31	60	2.36	41838M-529-0730


EPIROC – COP 2160, 2560

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	770	30.31	60	2.36	42160-607-0770
	T45	770	30.31	60	2.36	42160-608-0770
	T51	770	30.31	60	2.36	42160-609-0770


EPIROC – COP 2160 EX, 2560 EX

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	770	30.31	63	2.48	42160EX-637-0770
	T51	770	30.31	63	2.48	42160EX-638-0770
	GT60	770	30.31	63	2.48	42160EX-639-0770

EPIROC – COP 2560 EX PLUS

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	770	30.31	63	2.48	42560EXP-638-0770
	T51	770	30.31	63	2.48	42560EXP-639-0770

EPIROC – COP 3038

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R38	435	17.13	45	1.75	4COP3038-455-0435
	T38	435	17.13	45	1.75	4COP3038-457-0435
	T45	450	17.72	45	1.75	4COP3038-458-0450
	R32	525	20.67	45	1.75	4COP3038-454-0525
	T38	525	20.67	45	1.75	4COP3038-457-0525




SHANK ADAPTER 钎尾


FURUKAWA

FURUKAWA


FURUKAWA – M 120, HD 200 (4 SPLINES)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
R32	380	14.96	44	1.73	4HD200-444-0380	
R38	380	14.96	44	1.73	4HD200-445-0380	
T38	380	14.96	44	1.73	4HD200-447-0380	
T45	380	14.96	44	1.73	4HD200-448-0380	
R32	446	17.56	44	1.73	4HD200-444-0446	
R38	446	17.56	44	1.73	4HD200-445-0446	
T38	446	17.56	44	1.73	4HD200-447-0446	
T45	446	17.56	44	1.73	4HD200-448-0446	


FURUKAWA – PD 200

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
T38	484	19.06	44	1.73	4PD200-447-0484	
T45	484	19.06	44	1.73	4PD200-448-0484	
R32	380	14.96	44	1.73	4PD200-444-0380	
R38	380	14.96	44	1.73	4PD200-445-0380	
T38	380	14.96	44	1.73	4PD200-447-0380	
T45	380	14.96	44	1.73	4PD200-448-0380	
R32	446	17.56	44	1.73	4PD200-444-0446	
R38	446	17.56	44	1.73	4PD200-445-0446	
T38	446	17.56	44	1.73	4PD200-447-0446	
T45	446	17.56	44	1.73	4PD200-448-0446	


FURUKAWA – HD 260

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
T38	537	21.14	44	1.73	4HD260-447-0537	
T45	550	21.65	44	1.73	4HD260-448-0550	

FURUKAWA – HD 300

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
R38	655	25.79	45	1.75	4HD300-455-0655	
T38	655	25.79	45	1.75	4HD300-457-0655	
T45	655	25.79	45	1.75	4HD300-458-0655	





FURUKAWA – HD 500

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
T38	635	25.00	56	2.20	4HD500-565-0635	
T45	635	25.00	56	2.20	4HD500-567-0635	
T51	635	25.00	56	2.20	4HD500-568-0635	





SHANK ADAPTER 钎尾 FURUKAWA



FURUKAWA – HD 609 (STD)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	690	27.17	45	1.75	4HD609-457-0690
	T45	690	27.17	45	1.75	4HD609-458-0690
	R38	620	24.41	45	1.75	4HD609-455-0620
	T38	620	24.41	45	1.75	4HD609-457-0620
	T45	620	24.41	45	1.75	4HD609-458-0620



FURUKAWA – HD 612 (STD)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	670	26.38	51	2.00	4HD612-518-0670
	T51	670	26.38	51	2.00	4HD612-519-0670



FURUKAWA – HD 612 (QED)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	845	33.27	51	2.00	4HD612-518-0845
	T51	845	33.27	51	2.00	4HD612-519-0845



FURUKAWA – HD 615 (STD)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	700	27.56	58	2.28	4HD615-588-0700
	T51	880	34.65	58	2.28	4HD615-589-0880

FURUKAWA – HD 709 (STD)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	620	24.41	45	1.75	4HD709-457-0620
	T45	620	24.41	45	1.75	4HD709-458-0620

FURUKAWA – HD 709 (QED)


	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	785	30.91	45	1.75	4HD709-457-0785
	T45	785	30.91	45	1.75	4HD709-458-0785
	T45	815	32.09	45	1.75	4HD709-458-0815




SHANK ADAPTER 钎尾

FURUKAWA


FURUKAWA – HD 712 (STD)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	590	23.23	51	2.00	4HD712-518-0590
	T51	590	23.23	51	2.00	4HD712-518-0590
	T45	790	31.10	51	2.00	4HD712-518-0790
	T51	790	31.10	51	2.00	4HD712-519-0790


FURUKAWA – HD 712 (QED)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	885	34.84	51	2.00	4HD712-517-0885
	T45	885	34.84	51	2.00	4HD712-518-0885
	T51	885	34.84	51	2.00	4HD712-519-0885


FURUKAWA – HD 715 (STD)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	790	31.10	58	2.28	4HD6715-589-0790

FURUKAWA – HD 715 (QED)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	885	34.84	58	2.28	4HD715-589-0885

FURUKAWA – HD 822 (QED)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	885	34.84	51	2.00	4HD822-519-0885



SHANK ADAPTER 钎尾 INGERSOLL RAND

INGERSOLL RAND – YH 60

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	537	21.14	44	1.73	4YH60-447-0537
T45	550	21.65	44	1.73	4YH60-448-0550	

INGERSOLL RAND – YH 65, 70, 80

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	495	19.49	45	1.75	4YH65-457-0495
T45	495	19.49	45	1.75	4YH65-458-0495	

INGERSOLL RAND – YH 65 AP, 70 AP, 80 AP (REVERSE PERCUSSIVE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	700	27.56	45	1.75	4YH65RP-457-0700
T45	700	27.56	45	1.75	4YH65RP-458-0700	

INGERSOLL RAND – YH 80 A

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	495	19.49	51	2.00	4YH80A-518-0495
T51	495	19.49	51	2.00	4YH80A-519-0495	

INGERSOLL RAND – YD 90 M

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	330	12.99	38	1.50	4YD90M-384-0330
	R38	330	12.99	38	1.50	4YD90M-385-0330
T38	330	12.99	38	1.50	4YD90M-384-0330	

INGERSOLL RAND – YH 95, 100

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	625	24.61	51	2.00	4YH95-518-0625
	T51	625	24.61	51	2.00	4YH95-519-0625


INGERSOLL RAND – YH 95 AP, 100 AP (REVERSE PERCUSSIVE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	840	33.07	51	2.00	4YH95RP-518-0840
	T51	840	33.07	51	2.00	4YH95RP-519-0840




SHANK ADAPTER 钎尾 INGERSOLL RAND


INGERSOLL RAND – YH 110 V, 135

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	728	28.66	55	2.17	4YH135-558-0728
	T51	728	28.66	55	2.17	4YH135-559-0728
	T51	890	35.04	55	2.17	4YH135-559-0890


INGERSOLL RAND – EVL 130, VL 140 (12 SPLINES)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	349	13.74	44	1.73	4VL140-447-0349
	T45	349	13.74	44	1.73	4VL140-448-0349
	T38	381	15.00	44	1.73	4VL140-447-0381
	T45	381	15.00	44	1.73	4VL140-448-0381


INGERSOLL RAND – HYDRASTAR 200 (FEMALE-SIDE FLUSH)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	351	13.82	45	1.75	4HYD200-45C-0351

INGERSOLL RAND – 350

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R25	380	14.96	32	1.25	4350-322-0380
	R32	380	14.96	32	1.25	4350-324-0380

INGERSOLL RAND – URD 475 A, 550, VL 120, VL 140, F16

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	380	14.96	44	1.73	4VL120-444-0380
	R38	380	14.96	44	1.73	4VL120-445-0380
	T38	380	14.96	44	1.73	4VL120-447-0380
	T45	380	14.96	44	1.73	4VL120-448-0380
	R32	446	17.56	44	1.73	4VL120-444-0446
	R38	446	17.56	44	1.73	4VL120-445-0446
	T38	446	17.56	44	1.73	4VL120-447-0446
	T45	446	17.56	44	1.73	4VL120-448-0446



SHANK ADAPTER 钎尾 MONTABERT

MONTABERT – HC 20 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	287	11.30	45	1.75	4HC20-454-0287
T38	300	11.81	45	1.75	4HC20-457-0300	

MONTABERT – HC 20 (FEMALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	187	7.36	45	1.75	4HC20-45C-0187

MONTABERT – HC 25 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	340	13.39	45	1.75	4HC25-454-0340
	R38	350	13.78	45	1.75	4HC25-455-0350
T38	350	13.78	45	1.75	4HC25-457-0350	

MONTABERT – HC 25 (FEMALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R28	202	7.95	45	1.75	4HC25-45E-0202
R32	202	7.95	45	1.75	4HC25-45C-0202	

MONTABERT – HC 28 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R38	385	15.16	45	1.75	4HC28-455-0385
T35	385	15.16	45	1.75	4HC28-456-0385	

MONTABERT – HC 28 (FEMALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
	R32	mm	In.	mm	In.	
	R32	272	10.71	45	1.75	4HC28-45C-0272


MONTABERT – TA 35, LC 50 (A)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R25	380	14.96	32	1.25	4TA35-452-0380
R32	380	14.96	32	1.25	4TA35-454-0380	




SHANK ADAPTER 钎尾 MONTABERT


MONTABERT – H 40, 50, 60, 70 (LEYNER)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	380	14.96	38	1.50	4H40-384-0380
	R38	390	15.35	38	1.50	4H40-385-0390
	T38	390	15.35	38	1.50	4H40-387-0390


MONTABERT – HC 40 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	372	14.65	32	1.25	4HC40-324-0372


MONTABERT – HC 40, 50 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	372	14.65	38	1.50	4HC40-384-0372
	R38	380	14.96	38	1.50	4HC40-385-0380
	T38	381	15.00	38	1.50	4HC40-387-0381
	R32	440	17.32	38	1.50	4HC40-384-0440
	R38	440	17.32	38	1.50	4HC40-385-0440
	T38	447	17.60	38	1.50	4HC40-387-0447


MONTABERT – HC 40, 50 (FEMALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	270	10.63	45	1.75	4HC40-454-0270

MONTABERT – HC 80, 90, 105, 108, 109, 120

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	440	17.32	38	1.50	4HC80-384-0440
	R38	440	17.32	38	1.50	4HC80-385-0440
	T38	440	17.32	38	1.50	4HC80-387-0440
	R32	500	19.69	38	1.50	4HC80-384-0500
	R38	500	19.69	38	1.50	4HC80-385-0500
	T38	500	19.69	38	1.50	4HC80-387-0500

MONTABERT – HC 80, 108, 109, 120, 150

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	490	19.29	45	1.75	4HC80-457-0490
	T45	490	19.29	45	1.75	4HC80-458-0490
	T38	540	21.26	45	1.75	4HC80-457-0540



SHANK ADAPTER 钎尾 MONTABERT

MONTABERT – HC 80 AP, 105 AP, 107 AP, 108 AP, 109 AP

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	670	26.38	45	1.75	4H80RP-457-0670
	T45	670	26.38	45	1.75	4H80RP-458-0670
	T45	771	30.35	45	1.75	4H80RP-458-0771

MONTABERT – HC 95

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R38	438	17.24	45	1.75	4HC95-455-0438
	T38	438	17.24	45	1.75	4HC95-457-0438
	T45	453	17.83	45	1.75	4HC95-458-0453
	R38	500	19.69	45	1.75	4HC95-455-0500
	T38	500	19.69	45	1.75	4HC95-457-0500

MONTABERT – HC 95 R

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	518	20.39	51	2.00	4HC95R-518-0518
	T51	530	20.87	51	2.00	4HC95R-519-0530
	R32	503	19.80	45	1.75	4HC95R-454-0503
	R38	503	19.80	45	1.75	4HC95R-455-0503
	T38	503	19.80	45	1.75	4HC95R-457-0503
	T45	518	20.39	45	1.75	4HC95R-458-0518

MONTABERT – H 100 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	537	21.14	44	1.73	4H100-447-0537
	T45	550	21.65	44	1.73	4H100-448-0550

MONTABERT – HC 110 CA/CS

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R38	415	16.34	45	1.75	4HC110C-455-0415
	T38	415	16.34	45	1.75	4HC110C-457-0415
	T45	425	16.73	45	1.75	4HC110C-458-0425
	T38	530	20.87	45	1.75	4HC110C-457-0530

MONTABERT – HC 110 MT

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R38	460	18.11	45	1.75	4HC100M-455-0460
	T38	460	18.11	45	1.75	4HC100M-457-0460



SHANK ADAPTER 钎尾 MONTABERT

MONTABERT – HC 112 LH

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	726	28.58	60	2.36	4HC112-609-0726

MONTABERT – HC 120 RP, 150 RP, 155 RP, 158 RP

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	670	26.38	51	2.00	4HC120RP-518-0670
	T51	670	26.38	51	2.00	4HC120RP-519-0670
	T45	771	30.35	51	2.00	4HC120RP-518-0771
T51	771	30.35	51	2.00	4HC120RP-519-0771	

MONTABERT – HC 160, 170

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	757	29.80	60	2.36	4HC160-608-0757
	T45	810	31.89	60	2.36	4HC160-608-0810
T51	810	31.89	60	2.36	4HC160-609-0810	

MONTABERT – HC 200 A

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	840	33.07	60	2.36	4HC200A-609-0840
T51	980	38.58	60	2.36	4HC200A-609-0980	

MONTABERT – HC 200, 200 A

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	840	33.07	51	2.00	4HC200-519-0840



SHANK ADAPTER 钎尾

SANDVIK

SANDVIK – HLX 1, RD 106

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R22	265	10.43	28	1.10	4HLX1-281-0265
R25	265	10.43	28	1.10	4HLX1-282-0265	

SANDVIK – HL 300 (MALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	400	15.75	32	1.25	4HL300-324-0400

SANDVIK – HL 300 S (FEMALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	245	9.65	45	1.75	4HL300-45C-0245

SANDVIK – RD 308, RD 314, RD 414, HLX 3 (F) (FEMALE)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	205	8.07	45	1.75	4RD308-45C-0205

SANDVIK – HLR 438 L, 438 T

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	380	14.96	38	1.50	4HLR438-384-0380
	R38	380	14.96	38	1.50	4HLR438-385-0380
T38	380	14.96	38	1.50	4HLR438-387-0380	

SANDVIK – HLX 5, HLX 5 T, HFX 5 T (10 SPLINES)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	500	19.69	45	1.75	4HLX5-454-0500
	R38	500	19.69	45	1.75	4HLX5-455-0500
	T38	500	19.69	45	1.75	4HLX5-457-0500
	T45	500	19.69	45	1.75	4HLX5-458-0500
	R38	575	22.64	45	1.75	4HLX5-455-0575
	T38	600	23.62	45	1.75	4HLX5-457-0600
	T45	600	23.62	45	1.75	4HLX5-458-0600
	R32	750	29.53	45	1.75	4HLX5-454-0750
	T38	750	29.53	45	1.75	4HLX5-457-0750
	T45	750	29.53	45	1.75	4HLX5-458-0750






SHANK ADAPTER 钎尾



SANDVIK

SANDVIK



SANDVIK – HLX 5 PE-45 (8 SPLINES)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	575	22.64	45	1.75	4HLX5-454-0575
	T35	575	22.64	45	1.75	4HLX5-456-0575
	T38	575	22.64	45	1.75	4HLX5-457-0575
	R32	735	28.94	45	1.75	4HLX5-454-0735
	R38	735	28.94	45	1.75	4HLX5-455-0735
	T38	735	28.94	45	1.75	4HLX5-457-0735
	T45	735	28.94	45	1.75	4HLX5-458-0735



SANDVIK – HL 500-38, 510-38

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	550	21.65	38	1.50	4HL500-384-0550
	R38	550	21.65	38	1.50	4HL500-385-0550
	T38	550	21.65	38	1.50	4HL500-387-0550



SANDVIK – HL 500-45, 510-45

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	550	21.65	45	1.75	4HL500-457-0550
	T45	550	21.65	45	1.75	4HL500-458-0550

SANDVIK – HL 500 S-38, 510 S-38, 510 Ø, 510 LH

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	450	17.72	38	1.50	4HL500S-384-0450
	T35	450	17.72	38	1.50	4HL500S-386-0450
	R38	450	17.72	38	1.50	4HL500S-385-0450
	T38	450	17.72	38	1.50	4HL500S-387-0450
	R38	500	19.69	38	1.50	4HL500S-385-0500

SANDVIK – HL 510 S-45, 550 SUPER M92, 560 SUPER

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	500	19.69	45	1.75	4HL510S-454-0500
	R38	500	19.69	45	1.75	4HL510S-455-0500
	T38	500	19.69	45	1.75	4HL510S-457-0500




SHANK ADAPTER 钎尾


SANDVIK

SANDVIK


SANDVIK – RD 520, 525 (10 SPLINES)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R38	525	20.67	45	1.75	4RD520-455-0525
	T38	525	20.67	45	1.75	4RD520-457-0525
	R32	600	23.62	45	1.75	4RD520-454-0600
	T38	600	23.62	45	1.75	4RD520-457-0600
	R32	745	29.33	45	1.75	4RD520-454-0745
	T38	745	29.33	45	1.75	4RD520-457-0745


SANDVIK – RD 520 PE-45, 525 PE-45 (8 SPLINES)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	600	23.62	45	1.75	4RD520PE-454-0600
	T38	600	23.62	45	1.75	4RD520PE-457-0600
	R32	745	29.33	45	1.75	4RD520PE-454-0745
	T35	745	29.33	45	1.75	4RD520PE-455-0745
	T38	745	29.33	45	1.75	4RD520PE-457-0745


SANDVIK – HL 600-45, 600 S-45

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	600	23.62	45	1.75	4HL600-457-0600
	T45	600	23.62	45	1.75	4HL600-458-0600


SANDVIK – HL 600-52

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	650	25.59	52	2.05	4HL600-528-0650
	T51	650	25.59	52	2.05	4HL600-529-0650

SANDVIK – HL 650-45, 700-45, 700T-45, 710-45, 800T-45, 810T-45

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	600	23.62	45	1.75	4HL650-457-0600
	T45	600	23.62	45	1.75	4HL650-458-0600

SANDVIK – HL650-52, 700-52, 700PE-52, 700S-52, 710-52, 710PE-52, 710S-52, 710SPE-52, 800T-52, 800PE-52, 810T-52, HF 810T-52


	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T38	600	23.62	52	2.05	4HL650-527-0600
	T45	600	23.62	52	2.05	4HL650-528-0600
	T51	600	23.62	52	2.05	4HL650-529-0600




SHANK ADAPTER 钎尾

SANDVIK


SANDVIK – TAM 750

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R32	380	14.96	44	1.73	4TAM350-444-0380
	R38	380	14.96	44	1.73	4TAM350-445-0380
	T38	380	14.96	44	1.73	4TAM350-447-0380
	T45	380	14.96	44	1.73	4TAM350-448-0380
	R32	446	17.56	44	1.73	4TAM350-444-0446
	R38	446	17.56	44	1.73	4TAM350-445-0446
	T38	446	17.56	44	1.73	4TAM350-447-0446
	T45	446	17.56	44	1.73	4TAM350-448-0446


SANDVIK – HL 844

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	R38	450	17.72	44	1.73	4HL844-445-0450
	T38	450	17.72	44	1.73	4HL844-447-0450
	T45	450	17.72	44	1.73	4HL844-448-0450


SANDVIK – HL 850 S (SIDE FLUSH)

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	670	26.38	52	2.05	4HL850-528-0670
	T51	670	26.38	52	2.05	4HL850-529-0670


SANDVIK – HL 1000-52, 1000 S-52, 1010-52, 1010 S-52

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T45	590	23.23	52	2.05	4HL1000-528-0590
	T51	590	23.23	52	2.05	4HL1000-529-0590
	T45	670	26.38	52	2.05	4HL1000-528-0670
	T51	670	26.38	52	2.05	4HL1000-529-0670

SANDVIK – HL1000PE-65, 1010PE-65, 1060T/PE-65, 1500 T/PE-65, 1560T/PE-65

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	760	29.92	65	2.56	4HL1000PE-659-0760

SANDVIK – HL 1500-60, 1500 T-60

	THREAD	LENGTH (L)		FRONT END DIA		PART NUMBER
		mm	In.	mm	In.	
	T51	760	29.92	60	2.36	4HL1500-609-0760